


## A4v4 Ready to go

Consolidated systems in continuous evolution





## $A4_{v4}$

## **Data sheet**

	Max print volume	300 x 171 x 200 mm
<u></u>	Nozzles	3
	Max. Nozzle temperature	450°C
*	Chamber temperature max	90°C
	Removable plates	Yes (carbon tray diamond)
<b>\$</b> °	Mechanical precision XY	0,011mm
<b>.</b>	Usable polymers	ABS   ABS ESD+   ABS HD   ABS FAST ABS V0   PC ABS   PC ABS V0   PETG ASA   ELASTO 85   ELASTO 95   zWAX IGLIDUR   NYLON+   GLASS+ CARBON+   nPOWER
	Elastomer printing	Yes (opt.)
<u>×</u>	MIN / MAX thickness of the layer	0,1 / 0,6 mm
	Software and operating system	SSI on Windows 32/64
%	Network connection	Optional
	Certifications	CE
*	Peak current	5 A / 230 V
	Measure size and weight	528(L) x 515(P) x 615(H) mm Weight: 43 Kg







## Easy, versatile, capable A4v4 doen't fear rivals

**Compact and smart**, it offers a machine system that **adapts to numerous people industrial** contexts, without requiring special skills.

Bring simplicity into your business and ensure reliable and accurate results.



Via Montegiudeo 9 - 28047 Oleggio (NO) - Italy Phone: +39 0321 91528 - E-mail: info@3ntr.net

www.3ntr.net